

## A CONSEQUENCE OF VITAMIN D DEFICIENCY, WHICH IS COMMON IN CHILDREN!

**Xafizova Zimfira Borievna**

Andijan State Medical Institute associate professor

<https://doi.org/10.5281/zenodo.7267346>

*Annatatsiya. Rickets is not life-threatening for a child, but if it is not properly treated, it can leave a lifelong mark on the child's life - significant deformations (bends) of the skeleton, curvature of the pricus, flat feet and other similar diseases.*

**Key words:** Causes and mechanisms of rickets development, Risk factors for rickets, Signs and symptoms of rickets, Diagnosis, Treatment of rickets, Prevention of rickets in children.

## ПОСЛЕДСТВИЕ НЕДОСТАТОЧНОСТИ ВИТАМИНА D, КОТОРАЯ РАСПРОСТРАНЕНА У ДЕТЕЙ!

*Анна́тация. Рахит не опасен для жизни ребенка, но при неправильном лечении может оставить пожизненный след в жизни ребенка - значительные деформации (изгибы) скелета, искривление макушки, плоскостопие и другие подобные болезни.*

**Ключевые слова:** Причины и механизмы развития рахита, Факторы риска рахита, Признаки и симптомы рахита, Диагностика, Лечение рахита, Профилактика рахита у детей.

### INTRODUCTION

#### CAUSES AND MECHANISMS OF RICKET DEVELOPMENT

It is known that phosphorus, calcium and vitamin D are necessary for proper absorption of bones in the intestine. These components enter the child's body with food (mother's milk, eggs, fish, vegetables, etc.), and vitamin D is also produced under the skin under the influence of sunlight.

Newborn babies come to life with a reserve of calcium, phosphorus and vitamin D (these substances begin to accumulate actively in the last weeks of the child's life in the mother's womb, of course, if the mother eats properly and regularly and walks in the sun), therefore, bones develop normally in 1-2 months of a child's life. Later, the child's body will need more "building" material as a result of the rapid growth of the child and the depletion of reserves. If this need is not met, calcium and phosphorus begin to wash out of the child's bones. Therefore, the density of bone tissue decreases and deformation occurs easily. As a result, unpleasant manifestations of rickets occur in the skeleton.

In addition to the fact that the disturbance of phosphorus-calcium metabolism has a negative effect on bone tissue, it also affects the nervous system and muscles. Slowdown of psychomotor development, muscle hypotonia and other pathological symptoms are observed in patients.

Thus, the main cause of rickets is vitamin D deficiency, calcium and phosphorus deficiency also play a certain role in the development of the disease. Their deficiency occurs in the following situations:

If the child does not receive the necessary substances with food. For example, if the child is given artificial mixtures or cow's milk instead of mother's milk, the late introduction of complementary foods (after 6-8 months), if the majority of the child's diet is porridge, especially semolina porridge if he does If the child's skin has not been exposed to sunlight for a long time.

If the activity of absorption and digestion in the intestine is disturbed (in such cases, giving the child even the most nutritious food does not reduce the risk of rickets).

Rickets - bones in health and disease

## **METHOD AND METHODOLOGY**

In addition to the obvious causes of rickets, there are several contributing risk factors:

Premature birth - firstly, premature babies do not have time to "reserve" their nutrients, and secondly, they often have problems with the intestines and disorders related to the digestive system in general. .

The weight of the newborn (the heavier the baby, the more food and vitamins it needs).

Multiple pregnancy. Babies born from such pregnancies, as a rule, feel calcium and phosphorus deficiency. In addition, these babies can often be born prematurely.

Congenital diseases of the digestive system.

Darker skin color (darker children produce less vitamin D from sunlight).

## **SYMPTOMS AND SYMPTOMS OF RICKETS**

1. Symptoms of rickets
2. Early signs of rickets (parents should pay attention to the presence of these signs):
3. Excessive sweating.
4. Bad sleep, unreasonable anxiety, flying.
5. Hair loss and baldness in the nape of the neck.

Constipation (muscle hypotonia develops in rickets, as well as intestinal muscles, as a result of which intestinal peristaltic movements are disturbed and feces move slowly).

These symptoms can appear as early as 3-4 months of a child's life. If the disease is detected at this stage (called the beginning) and treated, it will not cause negative consequences for the health of the child. If this time is missed, the disease will develop (it will go to the exacerbation stage) and the child will develop more serious symptoms of the pathology:

Deformations of the skull, limbs and body. An indicator feature is a straight neck, a large forehead, O or X-shaped bent legs, etc.

Muscle weakness, as a result of which another symptom is a "frog belly", that is, a hanging belly, lack of muscle tension.

Slowness in the development of motor skills (the child does not hold his head, turns, sits, although his peers are already doing it).

Late teething.

Disorders of internal organs (primarily gastrointestinal tract).

Gradually, the child certainly improved (the recovery phase begins approximately 6-7 months after the onset of the disease), but the developed bone deformities do not disappear completely, sometimes remain for life. This is a narrow pelvis, wrong pricus, flat feet, deformation of the chest (compressed from both sides and protruding forward).

## **RESEARCH RESULTS**

**DIAGNOSIS.** An experienced doctor can detect rickets simply by conducting an examination, but a urinalysis according to Sulkovcih should be performed to confirm the diagnosis. This is a qualitative analysis for calcium in the urine taken from the baby before feeding in the morning. It is necessary to prepare for the analysis (it is necessary to get a urine collector, to put some restrictions on eating, etc.).

In severe cases, when doctors need to determine the level of calcium-phosphorus metabolism and damage to bone tissue, patients undergo more extensive tests:

Analysis of blood electrolytes (calcium and phosphorus), alkaline phosphatase activity (an indicator of bone tissue damage) and vitamin D metabolites;

Determination of calcium and phosphorus in daily urine;

Ultrasound examination of wrist bones.

X-ray (rarely used recently).

## **TREATMENT OF RICKETS**

Treatment of rickets in children should be carried out using complex - special and non-special methods (taking into account the cause of the disease).

Non-specific methods include proper nutrition, the correct routine of the child's day, and various general strengthening treatments (massage, gymnastics, herbal and salt baths, etc.).

Special methods - prescribing vitamin D, calcium and phosphorus preparations, exposing the skin to artificial ultraviolet rays.

## **DISCUSSION**

**NUTRITION AND DIET.** The nutrition of children with rickets should be aimed at providing the body with the necessary substances. The best food for children under one year old is breast milk. If it is not possible to breastfeed the baby, you can use an adapted milk mixture, cow's and goat's milk are not suitable for this.

In addition, timely introduction of additional nutrition is also important, the demand of the child's body for useful substances is increasing, while in mother's milk, on the contrary, the amount of useful substances decreases month by month. Therefore, pediatricians do not recommend exclusively breastfeeding a child after 6 months of age.

The first complementary food for a child with rickets can be introduced from the age of 4 months, and it is even better if it is vegetable porridge. Later, natural sources of vitamin D - vegetable oil, egg yolk, and starting from 7-8 months - fish and meat can be introduced. In addition, a sick child needs fruit purees and juices, as well as cottage cheese and dairy products. But it is advisable to limit porridges, especially semolina porridge. As for the daily schedule, it is necessary to arrange that the child is outside for at least 2 hours every day. It is not necessary to keep the child under direct sunlight (it is even harmful), the light passing through the green leaves of the trees will be enough.

In addition, you should engage in baby gymnastics, take him to a massage (or do it yourself according to the advice of a specialist). Also, children suffering from rickets are shown baths with salt and conifers (the doctor will tell you which one to choose). After such methods, the child eats and sleeps well.

## **DRUG TREATMENT OF RICKETS**

The mainstay of treatment is vitamin D intake. The dosage of the drug used is indicated only by a pediatrician, because both a small amount (does not help) and a large amount (leads to hypervitaminosis) are considered dangerous.

In addition to vitamin D, the child can be prescribed calcium and phosphorus supplements (it is ineffective to take vitamin D). Premature babies are often recommended complex medicines that contain vitamins other than vitamin D, as well as all the necessary minerals.

## **CONCLUSION**

Rickets belongs to the class of diseases that are very easy to prevent with the help of many preventive measures. Such measures include:

Taking vitamin D every day throughout the year except May-September. For premature babies, the doctor may prescribe a large amount of vitamin D.

Rational nutrition. In the second months of the child's life, only mother's milk, only after 4 months to introduce some supplements.

Walk in the fresh air every day. In hot, sunny months, it is not necessary to wrap the child too much, leaving open areas of skin that can be indirectly (not directly) exposed to the sun.

## REFERENCES

1. Tohirova J., Shernazarov F. ATHEROSCLEROSIS: CAUSES, SYMPTOMS, DIAGNOSIS, TREATMENT AND PREVENTION //Science and innovation. – 2022. – Т. 1. – №. D5. – С. 7-12.
2. Farhod o'g'li S. F. GASTRIT—SABABLARI, ALOMATLARI, TASHXISLASH, DAVOLASH, DORILAR, ASORATLARI, OLDINI OLISH //Лучший инноватор в области науки. – 2022. – Т. 1. – №. 1. – С. 103-107.
3. Tohirova J., Shernazarov F. ATHEROSCLEROSIS: CAUSES, SYMPTOMS, DIAGNOSIS, TREATMENT AND PREVENTION //Science and innovation. – 2022. – Т. 1. – №. D5. – С. 7-12.
4. F. Shernazarov ATHEROSCLEROSIS: CAUSES, SYMPTOMS, DIAGNOSIS, TREATMENT AND PREVENTION // SAI. 2022. №D5. URL: <https://cyberleninka.ru/article/n/atherosclerosis-causes-symptoms-diagnosis-treatment-and-prevention> (дата обращения: 20.10.2022).
5. F. Shernazarov, J. Tohirova, D. Jalalova TYPES OF HEMORRHAGIC DISEASES, CHANGES IN NEWBOENS, THEIR EARLY DIAGNOSIS // SAI. 2022. №D5. URL: <https://cyberleninka.ru/article/n/types-of-hemorrhagic-diseases-changes-in-newboens-their-early-diagnosis> (дата обращения: 20.10.2022).
6. Qizi T. J. I., Farrukh S. TREATMENT OF MYOCARDIAL INFARCTION AND FIRST AID //Science and innovation. – 2022. – Т. 1. – №. D3. – С. 317-320.
7. Shernazarov F., Azimov A. INCREASED BRAIN PRESSURE-CAUSES, SYMPTOMS, COMPLICATIONS, TREATMENT //Современная медицина: новые подходы и актуальные исследования. – 2021. – С. 73-77.
8. qizi Tohirova J. I., og'li Ibragimov B. I., og'li Shernazarov F. F. CONGENITAL HEART DISEASE-CAUSES, CLASSIFICATION, DIAGNOSIS, TREATMENT, COMPLICATIONS, CONSEQUENCES //Eurasian Journal of Medical and Natural Sciences. – 2022. – Т. 2. – №. 3. – С. 84-89.
9. Mratbaevna W. N., Farrux S. The Structure of the Heart and its Physiology in Regular Athletes //Eurasian Scientific Herald. – 2022. – Т. 8. – С. 102-105.
10. Farhod o'g'li S. F. GASTRIT—SABABLARI, ALOMATLARI, TASHXISLASH, DAVOLASH, DORILAR, ASORATLARI, OLDINI OLISH //Лучший инноватор в области науки. – 2022. – Т. 1. – №. 1. – С. 103-107.
11. Фаррух Ш. и др. ПУТИ УСТРАНЕНИЯ САХАРНОГО ДИАБЕТА //Science and innovation. – 2022. – Т. 1. – №. D3. – С. 313-316.

12. ПУТИ УСТРАНЕНИЯ САХАРНОГО ДИАБЕТА. Тоҳирова Жайрона Иззатилло Қизи, Шерназаров Фаррух «Science and innovation» 2022 yil 3-sonida 313-316 bet
13. <https://doi.org/10.5281/zenodo.6803520>
14. Shernazarov Farrukh. (2022). TREATMENT OF MYOCARDIAL INFARCTION AND FIRST AID. "science and Innovation" International Scientific Journal. ISSN: 2181-3337, 1(3), 317–320. <https://doi.org/10.5281/zenodo.6803550>
15. Shernazarov Farrux. Eurasian Scientific Herald P E N A C C E S S , P E E R R E V I E W E D J O U R N A L [HTTPS://GENIUSJOURNALS.ORG/INDEX.PHP/ESH](https://geniusjournals.org/index.php/esh) V O L U M E 8 | M A Y 2 0 2 2 I S S N ( E ) : 2 7 9 5 - 7 3 6 5
16. The Structure of the Heart and its Physiology in Regular Athletes 102-105 <https://geniusjournals.org/index.php/esh/article/view/1427>
17. Shernazarov Farrukh Farkhod og'li. (2022). CONGENITAL HEART DISEASE - CAUSES, CLASSIFICATION, DIAGNOSIS, TREATMENT, COMPLICATIONS, CONSEQUENCES. EURASIAN JOURNAL OF MEDICAL AND NATURAL SCIENCES, 2(3), 84–89. <https://doi.org/10.5281/zenodo.6408056>
18. Shernazarov Farrux Farhod o'g'li. (2022). GASTRIT — SABABLARI, ALOMATLARI, TASHXISLASH, DAVOLASH, DORILAR, ASORATLARI, OLDINI OLISH. The Best Innovator in Science, 1(1), 103–107. <https://doi.org/10.5281/zenodo.6023027>
19. ПУТИ УСТРАНЕНИЯ САХАРНОГО ДИАБЕТА. Тоҳирова Жайрона Иззатилло Қизи, Шерназаров Фаррух «Science and innovation»
20. <https://cyberleninka.ru/article/n/puti-ustraneniya-saharnogo-diabeta>
21. Shernazarov Farrukh. (2022). TREATMENT OF MYOCARDIAL INFARCTION AND FIRST AID. "science and Innovation" International Scientific Journal. ISSN: 2181-3337, 1(3), 317–320.
22. <https://cyberleninka.ru/article/n/treatment-of-myocardial-infarction-and-first-aid>
23. F. Shernazarov, J. Tohirova, D. Jalalova TYPES OF HEMORRHAGIC DISEASES, CHANGES IN NEWBOENS, THEIR EARLY DIAGNOSIS // SAI. 2022. №D5. URL: <https://cyberleninka.ru/article/n/types-of-hemorrhagic-diseases-changes-in-newboens-their-early-diagnosis> (дата обращения: 29.10.2022).
24. Qizi Tohirova J. I., og'li Ibragimov B. I., og'li Shernazarov F. F. CONGENITAL HEART DISEASE-CAUSES, CLASSIFICATION, DIAGNOSIS, TREATMENT, COMPLICATIONS, CONSEQUENCES //Eurasian Journal of Medical and Natural Sciences. – 2022. – Т. 2. – №. 3. – С. 84-89.
25. qizi Tohirova J. I., og'li Ibragimov B. I., og'li Shernazarov F. F. CONGENITAL HEART DISEASE-CAUSES, CLASSIFICATION, DIAGNOSIS, TREATMENT, COMPLICATIONS, CONSEQUENCES //Eurasian Journal of Medical and Natural Sciences. – 2022. – Т. 2. – №. 3. – С. 84-89.