MEDICAL AND PEDAGOGICAL SIGNIFICANCE OF RADIATION BACKGROUND IN THE USE OF NUCLEAR POWER REACTORS

Sayfullayev Ramziddin
Independent Researcher, Oriental University

DOI: 10.67620/sai.58a0011

ABSTRACT

This study examines the medical and pedagogical significance of radiation background associated with nuclear power reactors and evaluates a case-study approach for teaching radiation safety to medical students. The central argument is that radiation literacy should be treated not only as knowledge of physical dose and biological effect, but also as a patient-safety and risk-communication competency. International radiological protection frameworks emphasize justification, optimization, and dose limitation, while evidence on very low-dose health effects remains subject to uncertainty. Against this scientific background, a classroom comparison was conducted with 31 students at Samarkand State Medical University: 15 students received case-based instruction and 16 received a traditional lecture. The case-study group achieved a mean grade of 4.27 (SD = 0.70) and learning efficiency of 85.4%, compared with 3.69 (SD = 0.87) and 73.8% in the control group. The difference was 11.6 percentage points. An exploratory reanalysis of the reported grade distribution produced Welch's t(28.39) = 2.04, p = .051, with Hedges' g = 0.71, indicating a potentially meaningful effect that requires replication in a larger, better-controlled sample. The findings support integrating authentic radiation-safety cases into medical curricula while avoiding overstatement of low-dose risks.

ACCEPTED

07.09.26

Keywords: *nuclear energy, radiation background, medical education, radiation protection, radiological literacy, risk communication, case-based learning.*

CC BY

Introduction

Nuclear energy is increasingly discussed as part of low-carbon electricity systems, but public acceptance and safe implementation depend on more than engineering performance. Radiation-related questions are also medical and educational questions because physicians are frequently expected to interpret health risks, communicate uncertainty, and respond to public concern. In countries considering expansion of nuclear energy, including Uzbekistan, this responsibility makes radiation literacy relevant to both clinical training and public health education.

Radiation safety education should therefore be treated as a clinical competency rather than as a narrow physics topic. Future physicians need to distinguish routine environmental exposure from accident scenarios, understand the difference between deterministic tissue reactions and stochastic cancer risk, apply the principles of radiological protection, and explain risk without either minimizing legitimate hazards or amplifying radiophobia. International guidance places protection within the framework of justification, optimization, and dose limitation (International Atomic Energy Agency [IAEA], 2014; International Commission on Radiological Protection [ICRP], 2007).

This paper argues that case-based learning is particularly suitable for this task because it requires students to connect radiation quantities and biological mechanisms with clinical judgment, regulatory standards, and patient communication. The study evaluates whether a structured case-study lesson can improve short-term learning outcomes compared with a traditional lecture and interprets the findings in light of current radiation-protection and medical-education literature.

Literature Review

Low-Dose Radiation and Radiological Protection

The adverse effects of moderate and high doses of ionizing radiation are well established, whereas quantitative risk estimation at very low doses is more uncertain. Brenner et al. (2003) concluded that direct epidemiological evidence is strongest above the very-low-dose range and supported linear extrapolation as a practical method for estimating cancer risk when direct evidence becomes difficult to obtain. The National Research Council (2006) similarly used a linear no-threshold approach for population risk assessment, while emphasizing uncertainty at low doses. More recent reviews by the United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR, 2022) synthesize biological mechanisms relevant to low-dose and low-dose-rate exposure and reinforce the need to distinguish evidence, inference, and uncertainty.

This distinction is pedagogically important. A scientifically responsible course should not teach students that every detectable radiation level is immediately dangerous, nor should it imply that low-dose exposure is risk-free. Instead, students should learn why radiological protection uses prudent assumptions and why decisions depend on dose, dose rate, exposure pathway, population, and context. ICRP (2007) and the IAEA (2014) provide a coherent protection framework for translating this evidence into practice.

Radiation Background and Nuclear Power

Environmental radiation around nuclear facilities must be understood through source terms, release pathways, monitoring, dose assessment, and comparison with other radiation sources. Cooper et al. (2003) describe the principles governing environmental radioactivity, radionuclide transport, measurement, and dose assessment. At the international level, UNSCEAR (2017) compared radiation exposures associated with electricity-generation technologies and documented methods for evaluating public and occupational exposure across the nuclear fuel cycle. These sources support a teaching approach based on measured dose and exposure pathways rather than on generalized fear of the word radiation.

For medical students, the key educational issue is not to defend or oppose nuclear energy as a policy position. It is to develop the ability to evaluate health claims using dose-based evidence, recognize the limits of current knowledge, and communicate proportionate protective actions. This approach is consistent with public-health risk communication guidance, which emphasizes transparency, uncertainty, trust, and communication adapted to the audience (World Health Organization [WHO], 2018).

Radiation Literacy and Case-Based Learning in Medical Education

Radiation-protection knowledge among medical trainees is often incomplete. Faggioni et al. (2017) found important gaps in knowledge of radiation protection and imaging dose levels among medical students, radiography students, and radiology residents, supporting the need for stronger undergraduate and postgraduate education. Radiation literacy is therefore relevant even outside nuclear medicine and radiology because physicians may order imaging, counsel patients, or participate in public-health responses.

Case-based learning offers a mechanism for integrating scientific knowledge with clinical reasoning. A systematic review by Thistlethwaite et al. (2012) found that learners and educators generally value case-based learning for engagement and linking theory to practice, although comparative evidence was heterogeneous. A later meta-analysis of eight studies involving 939 medical students reported improvements in academic performance and case-analysis ability with case-based learning (Cen et al.,

ISSN: 2181-3337 | SCIENTISTS.UZ

2021). These findings justify testing a radiation-safety case in a medical curriculum, while also requiring cautious interpretation of results from small local samples.

Method

Design and Participants

The study used a small classroom comparison with experimental and control groups. The pedagogical experiment was conducted at Samarkand State Medical University in a course setting associated with Medical Biology and General Genetics or Medical Physics. A total of 31 students participated. The experimental group included 15 students and the control group included 16 students. Because the source study does not document random assignment, the design is best interpreted as quasi-experimental rather than as a randomized controlled trial.

Instructional Procedures

The experimental group studied the topic "Radiation Background of Nuclear Reactors and Its Medical Consequences" using a case-study method. Students were presented with a realistic medical-ecological scenario, such as evaluating the annual radiation dose of a population living near a nuclear facility and considering reported disease statistics. They worked through relevant medical norms and radiation-safety principles, discussed alternative interpretations, made decisions, and defended their conclusions.

The control group received the same general topic through a conventional lecture and reproductive-question format. The instructor presented the material using a board and presentation slides, students took notes, and questions were answered at the end of the lesson. Both groups then completed 10 problem-based test and control questions described in the source study as equivalent in difficulty.

Outcome Measures and Statistical Analysis

Student performance was evaluated on the 5-point grading scale used in the source study (5 = excellent, 4 = good, 3 = satisfactory, 2 = unsatisfactory). Learning efficiency was calculated as the group mean divided by the maximum grade of 5 and multiplied by 100. The original study reported grade frequencies, mean scores, and percentage-based learning efficiency.

For this revised manuscript, the reported grade distributions were additionally reanalyzed to provide a more informative estimate of the between-group difference. Means and sample standard deviations were calculated from the published grade counts, Welch's independent-samples t test was used because equal variances were not assumed, and Hedges' g was calculated as a small-sample standardized effect size. These inferential statistics are exploratory because of the small sample, the absence of documented random assignment, and the lack of a pretest.

Results

The case-study group showed higher performance across the main descriptive outcomes. Six of 15 students in the experimental group received a grade of 5, compared with 3 of 16 students in the control group. No student in the case-study group received an unsatisfactory grade, whereas one student in the control group did. Table 1 summarizes the grade distribution and the calculated learning efficiency.

ISSN: 2181-3337 | SCIENTISTS.UZ


Table 1

Comparison of Learning Outcomes by Instructional Method

Outcome	Case-study (n = 15)	Traditional (n = 16)	Difference
Grade 5 (excellent)	40.0% (6)	18.75% (3)	+21.25 pp
Grade 4 (good)	46.7% (7)	37.50% (6)	+9.2 pp
Grade 3 (satisfactory)	13.3% (2)	37.50% (6)	-24.2 pp
Grade 2 (unsatisfactory)	0% (0)	6.25% (1)	-6.25 pp
Mean grade (SD)	4.27 (0.70)	3.69 (0.87)	+0.58
Learning efficiency	85.4%	73.8%	+11.6 pp

Note. Learning efficiency = mean grade / 5 x 100. pp = percentage points.


The mean grade was 4.27 (SD = 0.70) in the case-study group and 3.69 (SD = 0.87) in the traditional group, corresponding to learning efficiencies of 85.4% and 73.8%, respectively. The absolute difference in learning efficiency was 11.6 percentage points. The exploratory Welch test yielded $t(28.39) = 2.04$, $p = .051$. Hedges' g was 0.71, a standardized difference consistent with a moderate-to-large educational effect, although the p value narrowly exceeded the conventional .05 threshold and the confidence around the estimate is necessarily wide in a sample of 31 students.



ISSN: 2181-3337 | SCIENTISTS.UZ

Figure 1

Learning Efficiency by Instructional Method



Note. Learning efficiency = mean grade / 5 x 100.

Discussion

The results provide preliminary support for the paper's central argument: when radiation safety is taught through an authentic clinical-environmental problem, students may engage more effectively with the material than when the same topic is delivered primarily as a lecture. The 11.6-percentage-point difference is educationally meaningful, and the standardized effect estimate (Hedges' g = 0.71) suggests that the observed advantage is not trivial. At the same time, the exploratory p value of .051 cautions against presenting the finding as definitive statistical proof. The appropriate conclusion is that the case-study approach shows a promising signal that should be tested in a larger and more rigorous design.

This interpretation is consistent with the broader medical-education literature. Cen et al. (2021) reported improved academic performance and case-analysis ability in a meta-analysis of case-based learning, while Thistlethwaite et al. (2012) emphasized that the strength of comparative evidence varies across studies. The present result therefore contributes a small, topic-specific example rather than establishing a universal superiority of case-based teaching.

The pedagogical value of the intervention extends beyond test scores. Radiation-related decisions frequently require interpretation of uncertainty. Students must understand that low-dose risk estimation is not the same as direct observation of harm at every small dose, while also recognizing that radiological protection deliberately uses conservative principles to reduce avoidable exposure (Brenner et al., 2003; ICRP, 2007; National Research Council, 2006; UNSCEAR, 2022). A case that requires students to compare doses, identify exposure pathways, apply protection principles, and explain conclusions to a simulated patient or community member can integrate scientific literacy with communication competence.

This integration is important because insufficient radiation knowledge can produce two opposite errors: unjustified reassurance and disproportionate fear. Evidence that medical trainees have gaps in dose and radiation-protection knowledge (Faggioni et al., 2017) supports explicit curriculum time for the subject. WHO (2018) guidance also indicates that effective risk communication depends on transparency, trust, and acknowledgment of uncertainty. For this reason, radiation education in medical schools should teach both what is known and how confidently it is known.

Limitations

The study has several limitations. First, the sample was small and drawn from a single institution, limiting generalizability. Second, random assignment was not documented, so pre-existing differences between groups cannot be excluded. Third, no pretest was reported, which prevents direct measurement of

ISSN: 2181-3337 | SCIENTISTS.UZ

individual learning gain. Fourth, the outcome was an immediate post-lesson assessment and does not establish long-term retention, transfer to clinical behavior, or improvement in public communication. Fifth, the 5-point grading scale is relatively coarse. Future research should use validated radiation-literacy measures, pretest-posttest designs, larger samples, and delayed follow-up assessments.

Conclusion and Recommendations

Radiation background associated with nuclear power should be taught in medical education as a combined problem of radiobiology, protection, clinical judgment, and risk communication. International evidence supports a cautious, dose-based approach: health effects at higher doses are established, low-dose risk estimation contains uncertainty, and radiological protection relies on structured principles rather than fear-based interpretation. Within that framework, the present classroom comparison suggests that case-based instruction can improve immediate learning outcomes and may produce a practically meaningful educational effect.

The evidence is not strong enough to claim definitive superiority from a single 31-student experiment, but it is strong enough to justify curriculum development and a larger confirmatory study. The following recommendations follow from the findings and literature:

- Integrate authentic radiation-safety cases into medical physics, radiology, biology, and public-health courses, emphasizing dose, exposure pathways, and protection principles.
- Add risk-communication tasks in which students explain low-dose uncertainty and protective actions to patients or community members.
- Use larger pretest-posttest studies with standardized outcomes and delayed retention testing.
- Avoid alarmist or dismissive framing; distinguish established evidence, modeled risk, and uncertainty.

REFERENCES

1. Brenner, D. J., Doll, R., Goodhead, D. T., Hall, E. J., Land, C. E., Little, J. B., Lubin, J. H., Preston, D. L., Preston, R. J., Puskin, J. S., Ron, E., Sachs, R. K., Samet, J. M., Setlow, R. B., & Zaider, M. (2003). Cancer risks attributable to low doses of ionizing radiation: Assessing what we really know. *Proceedings of the National Academy of Sciences of the United States of America, 100*(24), 13761-13766. https://doi.org/10.1073/pnas.2235592100
2. Cen, X.-Y., Hua, Y., Niu, S., & Yu, T. (2021). Application of case-based learning in medical student education: A meta-analysis. *European Review for Medical and Pharmacological Sciences, 25*(8), 3173-3181. https://doi.org/10.26355/eurrev_202104_25726
3. Cooper, J. R., Randle, K., & Sokhi, R. S. (2003). *Radioactive releases in the environment: Impact and assessment*. John Wiley & Sons.
4. Faggioni, L., Paolicchi, F., Bastiani, L., Guido, D., & Caramella, D. (2017). Awareness of radiation protection and dose levels of imaging procedures among medical students, radiography students, and radiology residents at an academic hospital: Results of a comprehensive survey. *European Journal of Radiology, 86*, 135-142. https://doi.org/10.1016/j.ejrad.2016.10.033
5. International Atomic Energy Agency. (2014). *Radiation protection and safety of radiation sources: International basic safety standards (General Safety Requirements Part 3)*. https://doi.org/10.61092/iaea.u2pu-60vm
6. International Commission on Radiological Protection. (2007). The 2007 recommendations of the International Commission on Radiological Protection (ICRP Publication 103). *Annals of the ICRP, 37*(2-4).
7. National Research Council. (2006). *Health risks from exposure to low levels of ionizing radiation: BEIR VII Phase 2*. The National Academies Press. https://doi.org/10.17226/11340

ISSN: 2181-3337 | SCIENTISTS.UZ

8. Thistlethwaite, J. E., Davies, D., Ekeocha, S., Kidd, J. M., MacDougall, C., Matthews, P., Purkis, J., & Clay, D. (2012). The effectiveness of case-based learning in health professional education: A BEME systematic review, BEME Guide No. 23. *Medical Teacher, 34*(6), e421-e444. https://doi.org/10.3109/0142159X.2012.680939
9. United Nations Scientific Committee on the Effects of Atomic Radiation. (2017). *Sources, effects and risks of ionizing radiation: UNSCEAR 2016 report to the General Assembly, with scientific annexes*. United Nations.
10. United Nations Scientific Committee on the Effects of Atomic Radiation. (2022). *Sources, effects and risks of ionizing radiation: UNSCEAR 2020/2021 report, volume III, scientific annex C: Biological mechanisms relevant for the inference of cancer risks from low-dose and low-dose-rate radiation*. United Nations.
11. World Health Organization. (2018). *Communicating risk in public health emergencies: A WHO guideline for emergency risk communication policy and practice*.